







Esplanade Charcoal

Timeless. Classic.



Patios



Courtyards




Outdoor Living



Paths




Stepping Stones



Stairs

Suitable for pedestrian traffic only. Not suitable for salt water pool surrounds.

From Patios to pathways, the Esplanade® range of pavers is the perfect choice. This square format paver with bevelled edges and spacer nibs on 3 sides for even spacing and easy laying, is a simple and timeless paving system for all projects large and small.



One side has no spacer nibs so you can easily & economically make step treads with a smooth leading edge.

**Esplanade®**  
**400 Standard**  
Units per m<sup>2</sup>: 6.25



Charcoal




Ginger



Sand



Platinum



Esplanade Ginger



Drivepave Charcoal with Drivepave Sand header & Modernstone Light Sands retaining wall

## Driving durability



Patios



Courtyards



Outdoor Living



Paths



Driveways  
(Residential)


Use our economical Edgepave® (see next page) for garden edging and mower strips.

Drivepave's clever spacer lugs, incredibly accurate face dimensions and finely finished, deep bevels, represent the pinnacle of design for contemporary, stylish and durable driveways.



Drivepave®  
Units per m²: 37


Spacer nibs prevent pavers chipping when butted up too tightly in areas subjected to vehicle or pedestrian traffic and ground movement. All pavers should be laid with at least 2-3mm joints between them, filled with jointing sand.



Charcoal



Sand



Drivepave Charcoal



Edgepave Charcoal

## Defining edge gardens



Paths




Garden Edging




Mower Strip

Lay Edgepave® units side by side into 50mm thick dry or wet concrete mix to make a deeper, wider barrier between garden bed and lawn.

The streamlined design of Edgepave® is intended specifically for stylish and economical garden edging. We recommend our Drivepave (see previous page) with its slightly larger dimensions and smart spacer nibs for extensive pavements like driveways and courtyards.



Edgepave®  
Units per m<sup>2</sup>: 50



Charcoal



Sand



Edgepave Charcoal



Interpave Charcoal

Withstand heavy loading



Roadways



Heavy Vehicle



Container Terminals



Airports



Domestic Driveways



Car Parks

Lay in the Herringbone Pattern for maximum interlock and pavement strength.

Interlocking segmental paving systems are engineered for high volume traffic and able to withstand heavy loading.




112 225

**Interpave® IP80**  
Units per m<sup>2</sup>: 40



112 80 225

**Streetpave SP80**  
Units per m<sup>2</sup>: 40



Charcoal




Natural



Interpave Charcoal with Interpave Natural detail



Interpave Charcoal



Gridpave Charcoal

Drainage & grass friendly



Dam Embankments/  
Livestock



Boat/Caravan  
Parking



Car Parks



Driveways


Versatile and dynamic Gridpave combines equally well with either turf, drainage gravel or decorative gravel.

From erosion control to water management and drainage, National Masonry's Gridpave® is your one paver solution. Gridpave reduces rainwater run off and protects sloping areas from rutting or eroding while adding greenery, interest and style.



New improved version with spacer nibs for ease of laying and accurate 2-3mm joint width.

Gridpave®  
Units per m²: 6.57




Charcoal



Natural



Gridpave Natural



Modernstone Light Sands with Drivepave Charcoal & Drivepave Sand




Modernstone Charcoal




Modernstone Charcoal

Contemporary and classic



Curved Wall



Straight Wall




Garden Beds



Stairs



Corner Wall



Tiered Walls

Maximum Unreinforced Wall Height: 990mm + cap - see Retaining Wall Installation p.20-21 for details.

Modernstone® is our flagship retaining wall system. Long and sleek with a sharp picture framed split face finish, Modernstone® versatile appeal complements the cutting edge architectural designs through to the contemporary and the classic.



**Modernstone® Standard**  
Max Wall Height: 1050mm  
Units per m²: 13.77



**Modernstone® Corner**  
Max Wall Height: 1050mm



**Classic Cap**  
Units per l/m: 2.27



Charcoal



Light Sands



Beach



Modernstone Light Sands



Modernstone Beach






Gardenwall Standard Charcoal

Simple and quick installation



Curved Wall



Straight Wall




Garden Beds



Garden Edging



Fire Pits



Tiered Walls

Maximum Unreinforced Wall Height: 1000mm - see Retaining Wall Installation p.20-21 for details.

Gardenwall® is the number one “Link” block system on the market and is exclusively manufactured by National Masonry®. This versatile single block system is the DIY dream where one block does it all. Gardenwall Standard blocks are hollowed out underneath to make them easier to handle.



Gardenwall® Standard

Max Wall Height: 1000mm  
Units per m<sup>2</sup>: 26.9



Charcoal




Beach



Light Sands



Gardenwall Standard Light Sands




Gardenwall Soft Split Charcoal

Simple and quick installation



Curved Wall



Straight Wall




Garden Beds



Garden Edging



Fire Pits



Tiered Walls

Maximum Unreinforced Wall Height: 1000mm - see Retaining Wall Installation p.20-21 for details.

Gardenwall® is the number one “Link” block system on the market and is exclusively manufactured by National Masonry®. This versatile single block system is the DIY dream where one block does it all. Gardenwall Soft Split blocks are totally solid for extra weight and retaining strength.



**Gardenwall®**  
**Soft Split**  
 Max Wall Height: 1000mm  
 Units per m<sup>2</sup>: 26.9



Charcoal



Paperbark



Portstone



Coco



Gardenwall Soft Split Paperbark



Gardenwall Soft Split Portstone




Gardenwall Flushface Beach

Simple and quick installation



Curved Wall



Straight Wall




Garden Beds



Garden Edging



Fire Pits



Tiered Walls


Maximum Unreinforced Wall Height: 1000mm - see Retaining Wall Installation p.20-21 for details.

Gardenwall® Flushface is an adaptation of our Gardenwall Standard. The face is split in a straight line for a more modern look while still enjoying the extra engineered retaining strength of the 25mm setback per course. Gardenwall Flushface is hollowed out underneath for easier handling. Perfect for straight or slightly curved walls. For tighter curves, use Gardenwall Standard.



Gardenwall®  
Flushface

Max Wall Height: 1000mm  
Units per m²: 26.9



Charcoal



Light Sands



Beach



Gardenwall Flushface Charcoal






Linearwall Beach with Esplanade Sand pavers

Easy, true vertical walls with no need for caps



Corner Wall



Straight Wall




Garden Beds



Garden Edging



Fire Pits



Tiered Walls

Maximum Unreinforced Wall Height: 600mm - see Retaining Wall Installation p.20-21 for details.

Linearwall® with its bevelled straight split face finish and clever design makes building sleek contemporary walls child's play.



**Linearwall®  
Standard Unit**  
Max Wall Height 600mm

Units per m<sup>2</sup>: 22.2



**Linearwall®  
Right Corner**



**Linearwall®  
Left Beach**



Charcoal



Fudge



Beach



Linearwall Fudge with Stoneworks Aspenstone Vanilla



WedgeBLOK™

WedgeBLOK™ - The Wedgie Gardeners Want




Paths




Garden Edging



Mower Strip



Curved Wall



Straight Wall



Garden Beds



Garden Edging



Fire Pits

Maximum Unreinforced Wall Height: 500mm = 4 courses. No surcharge loads.

WedgeBLOK™ is the perfect size and shape for creative garden edging. Easy to handle, double chamfered face (small and large face on every block), lay them straight or curved with no gaps, tree circles, fire pits (with a fire bowl inserted), small decorative walls (use an outdoor concrete adhesive to secure each course). Best of all: the smooth faces are gentler on whipper snippers for easier garden maintenance!



WedgeBLOK™  
Max Wall Height: 500mm

Units per lin m: 7.14 (butt jointed) or 6.25 (gapped)




Charcoal



Ginger




Sand



Platinum



WedgeBLOK Charcoal




Keystone 133Elite Charcoal


Engineered Solutions




Curved Wall




Straight Wall




Gravity & No Fines Walls



Geogrid Soil Reinforced Walls



Embankment Stabilisation



Tiered Walls

Maximum Unreinforced Wall Height: 1,000mm + cap - see p20-21 for details.

The Keystone 133Elite® is the professional's choice for larger soil reinforced retaining wall applications. With its unique interlocking pin system, the Keystone 133Elite® is a strong and secure wall system that accommodates a large range of applications.



Keystone 133Elite® Standard Unit

Max Wall Height 10000mm+  
Units per m2: 8.3



Keystone 133Elite® Corner Unit

Units per 1/m: 1.64



Keystone 133Elite® Cap


Units per 1/m: 1.64



Charcoal



Parchment



Keystone 133Elite Parchment