

| | | | | | | | | | | | |
|--|---|-----------------------------|---------------------|------------------------|-----------------------|------------------------|--------------------|---------------------------------|-----------------------|--------------------------------|-------------------------|
| <p>EVERLAWN</p> <ul style="list-style-type: none"> *40mm pile height *100% Homo-Polymer, *Colour - Multi Green/Tan *Dual yarn weave *Polyethylene & U.V. Protected  <p style="text-align: center;">\$57.70 M2</p> <p style="text-align: center;">3.7 metre wide (sold as multiples of 3.7m2)</p> | <p>PRESTIGE</p> <ul style="list-style-type: none"> *40mm pile height *100% Homo-Polymer, *Colour - Multi Green/Tan *Two tone weave *Polyethylene & U.V. Protected  <p style="text-align: center;">\$66.55 M2</p> <p style="text-align: center;">3.7 metre wide (sold as multiples of 3.7m2)</p> | | | | | | | | | | |
| <p>WINDSOR</p> <ul style="list-style-type: none"> *35mm pile height *100% Homo-Polymer, *Colour - Multi Green/Tan *Made with new,softer yarn *Polyethylene & U.V. Protected  <p style="text-align: center;">\$48.70 M2</p> <p style="text-align: center;">3.7 metre wide (sold as multiples of 3.7m2)</p> | <p>ACTIVE PLUS</p> <ul style="list-style-type: none"> *13-15mm pile height *100% Homo-Polymer, *Colour - Lawn Green *Polyethylene & U.V. Protected *Ideal for gym sled tracks,sporting surfaces & water parks.  <p style="text-align: center;">\$55.05 M2</p> <p style="text-align: center;">3.7 metre wide (sold as multiples of 3.7m2)</p> | | | | | | | | | | |
| <p>MADRID</p> <ul style="list-style-type: none"> *30mm pile height *100% Homo-Polymer, *Soft, spongy underfoot Polyethylene & U.V. Protected *Colour: Multi Green/Dark Brown  <p style="text-align: center;">\$45.10 M2</p> <p style="text-align: center;">3.7 metre wide (sold as multiples of 3.7m2)</p> | <p>OASIS 30</p> <ul style="list-style-type: none"> *30mm pile height *100% Homo-Polymer, Polyethylene & U.V. Protected *Colour: Multi Green/Dark Brown  <p style="text-align: center;">\$48.80 M2</p> <p style="text-align: center;">3.7 metre wide (sold as multiples of 3.7m2)</p> | | | | | | | | | | |
| <p>PLAY</p> <ul style="list-style-type: none"> *19mm pile height *100% Homo-Polymer, Polyethylene & U.V. Protected *Perfect for residential tennis court *Colours available: green, rust, blue, white & yellow.  <p style="text-align: center;">\$32.45 M2</p> <p style="text-align: center;">3.7 metre wide (sold as multiples of 3.7m2)</p> | <p>MILFORD</p> <ul style="list-style-type: none"> *12mm pile height *100% Homo-Polymer, *Colour: Green/Tan Polyethylene & U.V. Protected  <p style="text-align: center;">\$30.20 M2 (2.0m wide roll)</p> <p style="text-align: center;">\$60.39 L/M (2.0m wide roll) sold in-store</p> | | | | | | | | | | |
| <p>ASCOT</p> <ul style="list-style-type: none"> *25mm pile height *100% Homo-Polymer, *Colour: Multi Green/Tan *Made with new,softer yarn Polyethylene & U.V. Protected  <p style="text-align: center;">\$37.55 M2 (3.7m wide roll)</p> <p style="text-align: center;">\$41.75 M2 (1.85m wide roll)</p> <p style="text-align: center;">\$77.23 L/M (1.85m wide roll) - Sold in-store</p> | <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td style="text-align: center;">MILFORD TILE 1M X 1M</td> <td style="text-align: center;">\$15.90 EACH</td> </tr> <tr> <td style="text-align: center;">TURF PEGS 150MM</td> <td style="text-align: center;">\$19.00 PKT 20</td> </tr> <tr> <td style="text-align: center;">TURF PEGS 150MM</td> <td style="text-align: center;">\$1.10 EACH</td> </tr> <tr> <td style="text-align: center;">JOINING STRIP 300MM WIDE</td> <td style="text-align: center;">\$2.70 PER L/M</td> </tr> <tr> <td style="text-align: center;">SYNTHETIC SELF ADHESIVE</td> <td style="text-align: center;">\$49.00 10M ROLL</td> </tr> </tbody> </table> | MILFORD TILE 1M X 1M | \$15.90 EACH | TURF PEGS 150MM | \$19.00 PKT 20 | TURF PEGS 150MM | \$1.10 EACH | JOINING STRIP 300MM WIDE | \$2.70 PER L/M | SYNTHETIC SELF ADHESIVE | \$49.00 10M ROLL |
| MILFORD TILE 1M X 1M | \$15.90 EACH | | | | | | | | | | |
| TURF PEGS 150MM | \$19.00 PKT 20 | | | | | | | | | | |
| TURF PEGS 150MM | \$1.10 EACH | | | | | | | | | | |
| JOINING STRIP 300MM WIDE | \$2.70 PER L/M | | | | | | | | | | |
| SYNTHETIC SELF ADHESIVE | \$49.00 10M ROLL | | | | | | | | | | |
| <p>ADDITIONAL CUTTING FEES \$60.50</p> <ul style="list-style-type: none"> * If order is less than 5 l/m (18.5m2) * If turf requires to be cut into particular lengths, an additional cutting fee will apply per cut. <p>DELIVERY: Our supplier will only deliver to Nuway stores, with a minimum purchase of 18.5m2. If less, a delivery fee of \$66 will apply + additional cutting fee (Buderim Store minimum \$88)</p> | <p style="text-align: center;">SOLD AS MULTIPLES OF 3.7M2 CALCULATION EXAMPLE: To calculate an area of 50m2 - Divide m2 by width 50/3.7 = 13.513 linear metres Roundup to the nearest single decimal point 13.6 linear metres</p> <p style="text-align: center;">13.6 x 3.7 = 50.32m2 to be ordered</p> | | | | | | | | | | |

CALCULATION GUIDE FOR 3.7 WIDE ROLLS

Synthetic Turf 3.7m wide is cut per l/m therefore, can only be sold in multiples of 3.7m2.

The quantities shown below calculates the m2 you can order.

| PER L/M (3.7M WIDE) | M2 |
|---------------------------|-------------|
| 1 | 3.7 |
| 1.1 | 4.07 |
| 1.2 | 4.44 |
| 1.3 | 4.81 |
| 1.4 | 5.18 |
| 1.5 | 5.55 |
| 1.6 | 5.92 |
| 1.7 | 6.29 |
| 1.8 | 6.66 |
| 1.9 | 7.03 |
| 2 | 7.4 |
| 2.1 | 7.77 |
| 2.2 | 8.14 |
| 2.3 | 8.51 |
| 2.4 | 8.88 |
| 2.5 | 9.25 |
| 2.6 | 9.62 |
| 2.7 | 9.99 |
| 2.8 | 10.36 |
| 2.9 | 10.73 |
| 3 | 11.1 |
| 3.1 | 11.47 |
| 3.2 | 11.84 |
| 3.3 | 12.21 |
| 3.4 | 12.58 |
| 3.5 | 12.95 |
| 3.6 | 13.32 |
| 3.7 | 13.69 |
| 3.8 | 14.06 |
| 3.9 | 14.43 |
| 4 | 14.8 |
| 4.1 | 15.17 |
| 4.2 | 15.54 |
| 4.3 | 15.91 |
| 4.4 | 16.28 |
| 4.5 | 16.65 |
| 4.6 | 17.02 |
| 4.7 | 17.39 |
| 4.8 | 17.76 |
| 4.9 | 18.13 |
| 5 | 18.5 |
| 5.1 | 18.87 |
| 5.2 | 19.24 |
| 5.3 | 19.61 |
| 5.4 | 19.98 |
| 5.5 | 20.35 |
| 5.6 | 20.72 |
| 5.7 | 21.09 |
| 5.8 | 21.46 |
| 5.9 | 21.83 |

| PER L/M (3.7M WIDE) | M2 |
|---------------------------|-------------|
| 6 | 22.2 |
| 6.1 | 22.57 |
| 6.2 | 22.94 |
| 6.3 | 23.31 |
| 6.4 | 23.68 |
| 6.5 | 24.05 |
| 6.6 | 24.42 |
| 6.7 | 24.79 |
| 6.8 | 25.16 |
| 6.9 | 25.53 |
| 7 | 25.9 |
| 7.1 | 26.27 |
| 7.2 | 26.64 |
| 7.3 | 27.01 |
| 7.4 | 27.38 |
| 7.5 | 27.75 |
| 7.6 | 28.12 |
| 7.7 | 28.49 |
| 7.8 | 28.86 |
| 7.9 | 29.23 |
| 8 | 29.6 |
| 8.1 | 29.97 |
| 8.2 | 30.34 |
| 8.3 | 30.71 |
| 8.4 | 31.08 |
| 8.5 | 31.45 |
| 8.6 | 31.82 |
| 8.7 | 32.19 |
| 8.8 | 32.56 |
| 8.9 | 32.93 |
| 9 | 33.3 |
| 9.1 | 33.67 |
| 9.2 | 34.04 |
| 9.3 | 34.41 |
| 9.4 | 34.78 |
| 9.5 | 35.15 |
| 9.6 | 35.52 |
| 9.7 | 35.89 |
| 9.8 | 36.26 |
| 9.9 | 36.63 |
| 10 | 37 |
| 10.1 | 37.37 |
| 10.2 | 37.74 |
| 10.3 | 38.11 |
| 10.4 | 38.48 |
| 10.5 | 38.85 |
| 10.6 | 39.22 |
| 10.7 | 39.59 |
| 10.8 | 39.96 |
| 10.9 | 40.33 |

| PER L/M (3.7M WIDE) | M2 |
|---------------------------|-------------|
| 11 | 40.7 |
| 11.1 | 41.07 |
| 11.2 | 41.44 |
| 11.3 | 41.81 |
| 11.4 | 42.18 |
| 11.5 | 42.55 |
| 11.6 | 42.92 |
| 11.7 | 43.29 |
| 11.8 | 43.66 |
| 11.9 | 44.03 |
| 12 | 44.4 |
| 12.1 | 44.77 |
| 12.2 | 45.14 |
| 12.3 | 45.51 |
| 12.4 | 45.88 |
| 12.5 | 46.25 |
| 12.6 | 46.62 |
| 12.7 | 46.99 |
| 12.8 | 47.36 |
| 12.9 | 47.73 |
| 13 | 48.1 |
| 13.1 | 48.47 |
| 13.2 | 48.84 |
| 13.3 | 49.21 |
| 13.4 | 49.58 |
| 13.5 | 49.95 |
| 13.6 | 50.32 |
| 13.7 | 50.69 |
| 13.8 | 51.06 |
| 13.9 | 51.43 |
| 14 | 51.8 |
| 14.1 | 52.17 |
| 14.2 | 52.54 |
| 14.3 | 52.91 |
| 14.4 | 53.28 |
| 14.5 | 53.65 |
| 14.6 | 54.02 |
| 14.7 | 54.39 |
| 14.8 | 54.76 |
| 14.9 | 55.13 |
| 15 | 55.5 |
| 15.1 | 55.87 |
| 15.2 | 56.24 |
| 15.3 | 56.61 |
| 15.4 | 56.98 |
| 15.5 | 57.35 |
| 15.6 | 57.72 |
| 15.7 | 58.09 |
| 15.8 | 58.46 |
| 15.9 | 58.83 |

| PER L/M (3.7M WIDE) | M2 |
|---------------------------|-------------|
| 16 | 59.2 |
| 16.1 | 59.57 |
| 16.2 | 59.94 |
| 16.3 | 60.31 |
| 16.4 | 60.68 |
| 16.5 | 61.05 |
| 16.6 | 61.42 |
| 16.7 | 61.79 |
| 16.8 | 62.16 |
| 16.9 | 62.53 |
| 17 | 62.9 |
| 17.1 | 63.27 |
| 17.2 | 63.64 |
| 17.3 | 64.01 |
| 17.4 | 64.38 |
| 17.5 | 64.75 |
| 17.6 | 65.12 |
| 17.7 | 65.49 |
| 17.8 | 65.86 |
| 17.9 | 66.23 |
| 18 | 66.6 |
| 18.1 | 66.97 |
| 18.2 | 67.34 |
| 18.3 | 67.71 |
| 18.4 | 68.08 |
| 18.5 | 68.45 |
| 18.6 | 68.82 |
| 18.7 | 69.19 |
| 18.8 | 69.56 |
| 18.9 | 69.93 |
| 19 | 70.3 |
| 19.1 | 70.67 |
| 19.2 | 71.04 |
| 19.3 | 71.41 |
| 19.4 | 71.78 |
| 19.5 | 72.15 |
| 19.6 | 72.52 |
| 19.7 | 72.89 |
| 19.8 | 73.26 |
| 19.9 | 73.63 |
| 20 | 74 |

UNDER 5L/M (18.5M2) - DELIVERY FEE AND A CUTTING FEE WILL BE CHARGED

ONE ROLL = 20L/M (74M2)

SYNTHETIC TURF INSTALLATION GUIDE

1. Mark off the installation area. Using an outdoor spray can marker, mark off the boundaries for your lawn. Remember that Grass comes in 3.7m widths. Plan your installation with this in mind, to have as few seams as possible with your layout.
2. Remove existing sod and landscaping. Use a manual shovel, a petrol powered turf cutter (you can rent one at most rental centres), bob cat or have a local landscaper remove the existing sod and any landscaping you want removed from your installation area.
3. Close the sprinkler system. Your synthetic lawn won't need watering. If you have a sprinkler system in the installation area, cap the sprinklers and turn off their valves.
4. Compact the existing ground. You need to fully firm up the ground that will be the foundation of your Synthetic lawn. The only really good way to do this with a vibrating plate compactor, which you can rent from most rental centres or a heavy roller.
5. Lay the sub-base. Lay down a top 50mm of crusher dust or other suitable compactable aggregate then compact with a plate compactor or a heavy roller. With this sub-base, your goal is only to make your base firm and level and plan a gentle slope to your storm water drain.
6. Lay an additional 20mm of crusher dust or other suitable compactable aggregate as in step 5.
7. Spread, and then compact the sub-base. Use the vibrating compactor or heavy roller again to firmly compact the sub-base.
8. Check for surface depressions. You should fill in and re-level any based depression that is more than 15mm deep. Even though Synthetic Grass drains water vertically through drainage holes built into it, we also suggest giving the base a very slight slope, away from any buildings, towards your storm water drain to avoid any pooling at all.
9. Roll out the grass. Position your lawn strip-by-strip and be as accurate as you possibly can be. Be sure you don't cut off any turf that you actually need.
10. Cut the grass to size. Use a very sharp blade in a quality utility knife. First, to make the turf easier to handle, cut off larger pieces of excess material. Then make sure the turf is still properly positioned where it needs to be and trim the edges more precisely.
11. Seam the grass. Where two pieces of lawn meet, you will need to make a seam. You can use outdoor turf/ flooring glue and landscape fabric to seam your Synthetic lawn. Follow the instructions on the label of the glue. You can find these supplies at most larger DIY or Flooring centres. Because synthetic grass has a relatively high blade height, seams are much less noticeable than what you might expect and certainly less noticeable than on pile carpet. You can also hire a local synthetic turf or carpet installer to help you for a few hours with this part of the project (although that's not usually necessary).
12. After the seam glue has dried, trim off your grass around the edges using a utility knife and the aid of scissors or carpet trimmer so your lawn fits exactly as you want.
13. Then, using the standard seed-drop spreader, apply the infill. The average infill amount is usually 10kgs of clean dry river sand per SQM. The infill helps weigh down the turf down and stabilise the fibres to keep them upright and prevent matting. Rubber crumb can also be added for a softer feel under foot. Approx 4kgs per SQM of rubber. Rubber is not recommended on a sloping surface. As you spread the infill, make one entire pass on the on the surface of your new lawn and then sweep the infill deeply into the fibres. Then repeat this process until all of the infill has been spread and fallen in between the Synthetic blades.
14. Optional edging. Depending on your yard and your landscape concepts, you might install edging around your new lawn. Options are incredibly varied and include extruded curbing, timber, natural stone, rock, metal edging and plastic edging. If you are not going to apply an edging, we suggest you hammer regular landscaping nails every 400mm along the perimeter of your Synthetic lawn to prevent the edges from lifting.

ASHMORE

PH: 5597 3433
ashmore@nuway.com.au

BUDERIM

PH: 5445 2173
buderim@nuway.com.au

BURPENARY

PH: 3888 8806
burpengary@nuway.com.au

CHANDLER

PH: 3390 2477
chandler@nuway.com.au

FORESTDALE

PH: 3800 5433
forestdale@nuway.com.au

LOGAN

PH: 3808 8442
logan@nuway.com.au



MANGO HILL

PH: 3491 6372
mangohill@nuway.com.au

ORMEAU

PH: 5546 7703
ormeau@nuway.com.au

PINE RIVERS

PH: 3881 1447
pinerivers@nuway.com.au

REDLANDS

PH: 3207 7800
redlands@nuway.com.au

WESTERNS

PH: 3715 6200
western@nuway.com.au